
Product name : Floor drain grid ONDA series 70 cm STANDARD threaded version
Code : CNLON070STF105
Weight : 2.8 kg
Dimension (LxWxH) : 12 x 15 x 89 cm







DESCRIPTION

Stainless steel AISI 304 floor drain grid **ONDA** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), **STANDARD** version h 105 mm smooth (L1), **LOWER** version h 85 mm threaded (F1), **LOWER** version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, lenght 70 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and saline environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lit/min, 5 years warranty and box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centres, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.

Products and accessories available



CNLON120STF105
Floor drain grid ONDA series 120 cm



CNLON090STF105
Floor drain grid ONDA series 90 cm



CNLON080STF105
Floor drain grid ONDA series 80 cm




CNLON100STF105
Floor drain grid ONDA series 100 cm

ARCA CONCEPT S.r.l.
Via del Mella, 19/21
IT - 25131 Brescia
T. +39 030 7281057
Email: info@arcaconcept.com
www.arcaconcept.com

Product name : Floor drain grid ONDA series 70 cm STANDARD smooth version
Code : CNLON070STL105
Weight : 2.8 kg
Dimension (LxWxH) : 12 x 15 x 89 cm







DESCRIPTION

Stainless steel AISI 304 floor drain grid **ONDA** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), **STANDARD** version h 105 mm smooth (L1), **LOWER** version h 85 mm threaded (F1), **LOWER** version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, lenght 70 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and saline environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lit/min, 5 years warranty and box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centres, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.

Products and accessories available



CNLON120STF105
Floor drain grid ONDA series 120 cm



CNLON090STF105
Floor drain grid ONDA series 90 cm



CNLON080STF105
Floor drain grid ONDA series 80 cm




CNLON100STF105
Floor drain grid ONDA series 100 cm

ARCA CONCEPT S.r.l.
Via del Mella, 19/21
IT - 25131 Brescia
T. +39 030 7281057
Email: info@arcaconcept.com
www.arcaconcept.com

Product name : Floor drain grid ONDA series 70 cm LOWER threaded version
Code : CNLON070RBF105
Weight : 2.8 kg
Dimension (LxWxH) : 12 x 15 x 89 cm







DESCRIPTION

Stainless steel AISI 304 floor drain grid **ONDA** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), **STANDARD** version h 105 mm smooth (L1), **LOWER** version h 85 mm threaded (F1), **LOWER** version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, lenght 70 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and saline environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lit/min, 5 years warranty and box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centres, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.

Products and accessories available



CNLON120STF105
Floor drain grid ONDA series 120 cm



CNLON090STF105
Floor drain grid ONDA series 90 cm



CNLON080STF105
Floor drain grid ONDA series 80 cm




CNLON100STF105
Floor drain grid ONDA series 100 cm

ARCA CONCEPT S.r.l.
Via del Mella, 19/21
IT - 25131 Brescia
T. +39 030 7281057
Email: info@arcaconcept.com
www.arcaconcept.com

Product name : Floor drain grid ONDA series 70 cm LOWER smooth version
Code : CNLON070RBL105
Weight : 2.8 kg
Dimension (LxWxH) : 12 x 15 x 89 cm







DESCRIPTION

Stainless steel AISI 304 floor drain grid **ONDA** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), **STANDARD** version h 105 mm smooth (L1), **LOWER** version h 85 mm threaded (F1), **LOWER** version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, lenght 70 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and saline environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lit/min, 5 years warranty and box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centres, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.

Products and accessories available



CNLON120STF105
Floor drain grid ONDA series 120 cm



CNLON090STF105
Floor drain grid ONDA series 90 cm



CNLON080STF105
Floor drain grid ONDA series 80 cm



CNLON100STF105
Floor drain grid ONDA series 100 cm

ARCA CONCEPT S.r.l.
Via del Mella, 19/21
IT - 25131 Brescia
T. +39 030 7281057
Email: info@arcaconcept.com
www.arcaconcept.com

Product name : Floor drain grid ONDA series 70 cm US without syphon version
Code : CNLON070US0005
Weight : 2.8 kg
Dimension (LxWxH) : 12 x 15 x 89 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid **ONDA** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.






Available versions: STANDARD version H 105 mm threaded (F1), **STANDARD** version h 105 mm smooth (L1), **LOWER** version h 85 mm threaded (F1), **LOWER** version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, lenght 70 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and saline environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lit/min, 5 years warranty and box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centres, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.



Products and accessories available



CNLON120STF105
Floor drain grid ONDA series 120 cm



CNLON090STF105
Floor drain grid ONDA series 90 cm



CNLON080STF105
Floor drain grid ONDA series 80 cm



CNLON100STF105
Floor drain grid ONDA series 100 cm

ARCA CONCEPT S.r.l.
Via del Mella, 19/21
IT - 25131 Brescia
T. +39 030 7281057
Email: info@arcaconcept.com
www.arcaconcept.com

Product name : Floor drain grid ONDA series 70 cm US with syphon version
Code : CNLON070US0105
Weight : 2.8 kg
Dimension (LxWxH) : 12 x 15 x 89 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid **ONDA** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.






Available versions: STANDARD version H 105 mm threaded (F1), **STANDARD** version h 105 mm smooth (L1), **LOWER** version h 85 mm threaded (F1), **LOWER** version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, lenght 70 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and saline environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lit/min, 5 years warranty and box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centres, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.



Products and accessories available



CNLON120STF105
Floor drain grid ONDA series 120 cm



CNLON090STF105
Floor drain grid ONDA series 90 cm



CNLON080STF105
Floor drain grid ONDA series 80 cm



CNLON100STF105
Floor drain grid ONDA series 100 cm

ARCA CONCEPT S.r.l.
Via del Mella, 19/21
IT - 25131 Brescia
T. +39 030 7281057
Email: info@arcaconcept.com
www.arcaconcept.com