
Product name : Stainless steel flexible pipe 1/2" F X 1/2" F INOX series 20cm
Code : ATCIN01020205
Weight : 0.08 kg
Dimension (LxWxH) : 2.5 x 2.5 x 20 cm





DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, ½" F x ½" F connection, complete with washers. Ideal for sanitary application.

Available sizes: 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

FEATURES: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, ½" F x ½" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, ½" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

Products and accessories available



ATCIN02020205
Stainless steel flexible pipe 1/2" F x 3/8" F INOX series



ATCIN03020205
Stainless steel flexible pipe 3/8" F x 3/8" F INOX series



ATCIN04020205
Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



ATCIN05020205
Stainless steel flexible pipe 1/2" M x 3/8" F INOX series



ATCIN06020205
Stainless steel flexible pipe 3/8" M x 3/8" F INOX series




ATCIN07020205
Stainless steel flexible pipe 3/8" M x 1/2" F INOX series

ARCA CONCEPT S.r.l.
Via del Mella, 19/21
IT - 25131 Brescia
T. +39 030 7281057
Email: info@arcaconcept.com
www.arcaconcept.com

Product name : Stainless steel flexible pipe 1/2" F X 1/2" F INOX series 25cm
Code : ATCIN01025205
Weight : 0.09 kg
Dimension (LxWxH) : 2.5 x 2.5 x 25 cm





DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, ½" F x ½" F connection, complete with washers. Ideal for sanitary application.

Available sizes: 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

FEATURES: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, ½" F x ½" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, ½" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

Products and accessories available



ATCIN02020205
Stainless steel flexible pipe 1/2" F x 3/8" F INOX series



ATCIN03020205
Stainless steel flexible pipe 3/8" F x 3/8" F INOX series



ATCIN04020205
Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



ATCIN05020205
Stainless steel flexible pipe 1/2" M x 3/8" F INOX series



ATCIN06020205
Stainless steel flexible pipe 3/8" M x 3/8" F INOX series




ATCIN07020205
Stainless steel flexible pipe 3/8" M x 1/2" F INOX series

ARCA CONCEPT S.r.l.
Via del Mella, 19/21
IT - 25131 Brescia
T. +39 030 7281057
Email: info@arcaconcept.com
www.arcaconcept.com

Product name : Stainless steel flexible pipe 1/2" F X 1/2" F INOX series 30cm
Code : ATCIN01030205
Weight : 0.1 kg
Dimension (LxWxH) : 2.5 x 2.5 x 30 cm





DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, ½" F x ½" F connection, complete with washers. Ideal for sanitary application.

Available sizes: 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

FEATURES: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, ½" F x ½" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, ½" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

Products and accessories available



ATCIN02020205
Stainless steel flexible pipe 1/2" F x 3/8" F INOX series



ATCIN03020205
Stainless steel flexible pipe 3/8" F x 3/8" F INOX series



ATCIN04020205
Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



ATCIN05020205
Stainless steel flexible pipe 1/2" M x 3/8" F INOX series



ATCIN06020205
Stainless steel flexible pipe 3/8" M x 3/8" F INOX series




ATCIN07020205
Stainless steel flexible pipe 3/8" M x 1/2" F INOX series

ARCA CONCEPT S.r.l.
Via del Mella, 19/21
IT - 25131 Brescia
T. +39 030 7281057
Email: info@arcaconcept.com
www.arcaconcept.com

Product name : Stainless steel flexible pipe 1/2" F X 1/2" F INOX series 35cm
Code : ATCIN01035205
Weight : 0.1 kg
Dimension (LxWxH) : 2.5 x 2.5 x 35 cm





DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, ½" F x ½" F connection, complete with washers. Ideal for sanitary application.

Available sizes: 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

FEATURES: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, ½" F x ½" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, ½" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

Products and accessories available



ATCIN02020205
Stainless steel flexible pipe 1/2" F x 3/8" F INOX series



ATCIN03020205
Stainless steel flexible pipe 3/8" F x 3/8" F INOX series



ATCIN04020205
Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



ATCIN05020205
Stainless steel flexible pipe 1/2" M x 3/8" F INOX series



ATCIN06020205
Stainless steel flexible pipe 3/8" M x 3/8" F INOX series




ATCIN07020205
Stainless steel flexible pipe 3/8" M x 1/2" F INOX series

ARCA CONCEPT S.r.l.
Via del Mella, 19/21
IT - 25131 Brescia
T. +39 030 7281057
Email: info@arcaconcept.com
www.arcaconcept.com

Product name : Stainless steel flexible pipe 1/2" F X 1/2" F INOX series 40cm
Code : ATCIN01040205
Weight : 0.11 kg
Dimension (LxWxH) : 2.5 x 2.5 x 40 cm





DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, ½" F x ½" F connection, complete with washers. Ideal for sanitary application.

Available sizes: 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

FEATURES: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, ½" F x ½" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, ½" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

Products and accessories available



ATCIN02020205
Stainless steel flexible pipe 1/2" F x 3/8" F INOX series



ATCIN03020205
Stainless steel flexible pipe 3/8" F x 3/8" F INOX series



ATCIN04020205
Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



ATCIN05020205
Stainless steel flexible pipe 1/2" M x 3/8" F INOX series



ATCIN06020205
Stainless steel flexible pipe 3/8" M x 3/8" F INOX series




ATCIN07020205
Stainless steel flexible pipe 3/8" M x 1/2" F INOX series

ARCA CONCEPT S.r.l.
Via del Mella, 19/21
IT - 25131 Brescia
T. +39 030 7281057
Email: info@arcaconcept.com
www.arcaconcept.com

Product name : Stainless steel flexible pipe 1/2" F X 1/2" F INOX series 45cm
Code : ATCIN01045205
Weight : 0.12 kg
Dimension (LxWxH) : 2.5 x 2.5 x 45 cm





DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, ½" F x ½" F connection, complete with washers. Ideal for sanitary application.

Available sizes: 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

FEATURES: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, ½" F x ½" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, ½" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

Products and accessories available



ATCIN02020205
Stainless steel flexible pipe 1/2" F x 3/8" F INOX series



ATCIN03020205
Stainless steel flexible pipe 3/8" F x 3/8" F INOX series



ATCIN04020205
Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



ATCIN05020205
Stainless steel flexible pipe 1/2" M x 3/8" F INOX series



ATCIN06020205
Stainless steel flexible pipe 3/8" M x 3/8" F INOX series




ATCIN07020205
Stainless steel flexible pipe 3/8" M x 1/2" F INOX series

ARCA CONCEPT S.r.l.
Via del Mella, 19/21
IT - 25131 Brescia
T. +39 030 7281057
Email: info@arcaconcept.com
www.arcaconcept.com

Product name : Stainless steel flexible pipe 1/2" F X 1/2" F INOX series 50cm
Code : ATCIN01050205
Weight : 0.13 kg
Dimension (LxWxH) : 2.5 x 2.5 x 50 cm





DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, ½" F x ½" F connection, complete with washers. Ideal for sanitary application.

Available sizes: 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

FEATURES: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, ½" F x ½" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, ½" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

Products and accessories available



ATCIN02020205
Stainless steel flexible pipe 1/2" F x 3/8" F INOX series



ATCIN03020205
Stainless steel flexible pipe 3/8" F x 3/8" F INOX series



ATCIN04020205
Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



ATCIN05020205
Stainless steel flexible pipe 1/2" M x 3/8" F INOX series



ATCIN06020205
Stainless steel flexible pipe 3/8" M x 3/8" F INOX series




ATCIN07020205
Stainless steel flexible pipe 3/8" M x 1/2" F INOX series

ARCA CONCEPT S.r.l.
Via del Mella, 19/21
IT - 25131 Brescia
T. +39 030 7281057
Email: info@arcaconcept.com
www.arcaconcept.com

Product name : Stainless steel flexible pipe 1/2" F X 1/2" F INOX series 60cm
Code : ATCIN01060205
Weight : 0.14 kg
Dimension (LxWxH) : 2.5 x 2.5 x 60 cm





DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, ½" F x ½" F connection, complete with washers. Ideal for sanitary application.

Available sizes: 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

FEATURES: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, ½" F x ½" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, ½" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

Products and accessories available



ATCIN02020205
Stainless steel flexible pipe 1/2" F x 3/8" F INOX series



ATCIN03020205
Stainless steel flexible pipe 3/8" F x 3/8" F INOX series



ATCIN04020205
Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



ATCIN05020205
Stainless steel flexible pipe 1/2" M x 3/8" F INOX series



ATCIN06020205
Stainless steel flexible pipe 3/8" M x 3/8" F INOX series



ATCIN07020205
Stainless steel flexible pipe 3/8" M x 1/2" F INOX series

ARCA CONCEPT S.r.l.
Via del Mella, 19/21
IT - 25131 Brescia
T. +39 030 7281057
Email: info@arcaconcept.com
www.arcaconcept.com

Product name : Stainless steel flexible pipe 1/2" F X 1/2" F INOX series 70cm
Code : ATCIN01070205
Weight : 0.16 kg
Dimension (LxWxH) : 2.5 x 2.5 x 70 cm


DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, ½" F x ½" F connection, complete with washers. Ideal for sanitary application.

Available sizes: 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

FEATURES: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, ½" F x ½" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, ½" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.





Products and accessories available



ATCIN02020205
Stainless steel flexible pipe 1/2" F x 3/8" F INOX series



ATCIN03020205
Stainless steel flexible pipe 3/8" F x 3/8" F INOX series



ATCIN04020205
Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



ATCIN05020205
Stainless steel flexible pipe 1/2" M x 3/8" F INOX series



ATCIN06020205
Stainless steel flexible pipe 3/8" M x 3/8" F INOX series




ATCIN07020205
Stainless steel flexible pipe 3/8" M x 1/2" F INOX series

ARCA CONCEPT S.r.l.
Via del Mella, 19/21
IT - 25131 Brescia
T. +39 030 7281057
Email: info@arcaconcept.com
www.arcaconcept.com

Product name : Stainless steel flexible pipe 1/2" F X 1/2" F INOX series 80cm
Code : ATCIN01080205
Weight : 0.18 kg
Dimension (LxWxH) : 2.5 x 2.5 x 80 cm





DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, ½" F x ½" F connection, complete with washers. Ideal for sanitary application.

Available sizes: 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

FEATURES: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, ½" F x ½" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, ½" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

Products and accessories available



ATCIN02020205
Stainless steel flexible pipe 1/2" F x 3/8" F INOX series



ATCIN03020205
Stainless steel flexible pipe 3/8" F x 3/8" F INOX series



ATCIN04020205
Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



ATCIN05020205
Stainless steel flexible pipe 1/2" M x 3/8" F INOX series



ATCIN06020205
Stainless steel flexible pipe 3/8" M x 3/8" F INOX series




ATCIN07020205
Stainless steel flexible pipe 3/8" M x 1/2" F INOX series

ARCA CONCEPT S.r.l.
Via del Mella, 19/21
IT - 25131 Brescia
T. +39 030 7281057
Email: info@arcaconcept.com
www.arcaconcept.com

Product name : Stainless steel flexible pipe 1/2" F X 1/2" F INOX series 100cm
Code : ATCIN01100205
Weight : 0.21 kg
Dimension (LxWxH) : 2.5 x 2.5 x 100 cm





DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, ½" F x ½" F connection, complete with washers. Ideal for sanitary application.

Available sizes: 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

FEATURES: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, ½" F x ½" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, ½" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

Products and accessories available



ATCIN02020205
Stainless steel flexible pipe 1/2" F x 3/8" F INOX series



ATCIN03020205
Stainless steel flexible pipe 3/8" F x 3/8" F INOX series



ATCIN04020205
Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



ATCIN05020205
Stainless steel flexible pipe 1/2" M x 3/8" F INOX series



ATCIN06020205
Stainless steel flexible pipe 3/8" M x 3/8" F INOX series



ATCIN07020205
Stainless steel flexible pipe 3/8" M x 1/2" F INOX series

ARCA CONCEPT S.r.l.
Via del Mella, 19/21
IT - 25131 Brescia
T. +39 030 7281057
Email: info@arcaconcept.com
www.arcaconcept.com