

**Product name** : Stainless steel flexible pipe 1/2" F x 1/2" F INOX series

**Code** : ATCIN01020205

**Weight** : 0.08 kg

**Dimension (LxWxH)** : 2.5 x 2.5 x 20 cm

## DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 1/2" F x 1/2" F connection, complete with washers. Ideal for sanitary application.

**Available sizes:** 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES:** MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 1/2" F x 1/2" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, 1/2" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.



## Products and accessories available



**ATCIN02020205**  
Stainless steel  
flexible pipe 1/2" F x  
3/8" F INOX series



**ATCIN03020205**  
Stainless steel  
flexible pipe 3/8" F x  
3/8" F INOX series



**ATCIN04020205**  
Stainless steel  
flexible pipe 1/2" M x  
1/2" F INOX series




**ATCIN05020205**  
Stainless steel  
flexible pipe 1/2" M x  
3/8" F INOX series



**ATCIN06020205**  
Stainless steel  
flexible pipe 3/8" M x  
3/8" F INOX series



**ATCIN07020205**  
Stainless steel  
flexible pipe 3/8" M x  
1/2" F INOX series



**Product name** : Stainless steel flexible pipe 1/2" F x 1/2" F INOX series

**Code** : ATCIN01025205

**Weight** : 0.09 kg

**Dimension (LxWxH)** : 2.5 x 2.5 x 25 cm

## DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 1/2" F x 1/2" F connection, complete with washers. Ideal for sanitary application.

**Available sizes**: 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES**: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 1/2" F x 1/2" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, 1/2" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.



## Products and accessories available



**ATCIN02020205**  
Stainless steel  
flexible pipe 1/2" F x  
3/8" F INOX series



**ATCIN03020205**  
Stainless steel  
flexible pipe 3/8" F x  
3/8" F INOX series



**ATCIN04020205**  
Stainless steel  
flexible pipe 1/2" M x  
1/2" F INOX series




**ATCIN05020205**  
Stainless steel  
flexible pipe 1/2" M x  
3/8" F INOX series



**ATCIN06020205**  
Stainless steel  
flexible pipe 3/8" M x  
3/8" F INOX series



**ATCIN07020205**  
Stainless steel  
flexible pipe 3/8" M x  
1/2" F INOX series



**ARCA CONCEPT S.r.l.**

Via del Mella, 19/21

IT - 25131 Brescia

T. +39 030 7281057

Email: [info@arcaconcept.com](mailto:info@arcaconcept.com)

[www.arcaconcept.com](http://www.arcaconcept.com)

**Product name** : Stainless steel flexible pipe 1/2" F x 1/2" F INOX series

**Code** : ATCIN01030205

**Weight** : 0.1 kg

**Dimension (LxWxH)** : 2.5 x 2.5 x 30 cm

## DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 1/2" F x 1/2" F connection, complete with washers. Ideal for sanitary application.

**Available sizes:** 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES:** MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 1/2" F x 1/2" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, 1/2" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.



## Products and accessories available



**ATCIN02020205**  
Stainless steel  
flexible pipe 1/2" F x  
3/8" F INOX series



**ATCIN03020205**  
Stainless steel  
flexible pipe 3/8" F x  
3/8" F INOX series



**ATCIN04020205**  
Stainless steel  
flexible pipe 1/2" M x  
1/2" F INOX series




**ATCIN05020205**  
Stainless steel  
flexible pipe 1/2" M x  
3/8" F INOX series



**ATCIN06020205**  
Stainless steel  
flexible pipe 3/8" M x  
3/8" F INOX series



**ATCIN07020205**  
Stainless steel  
flexible pipe 3/8" M x  
1/2" F INOX series



**Product name** : Stainless steel flexible pipe 1/2" F x 1/2" F INOX series

**Code** : ATCIN01035205

**Weight** : 0.1 kg

**Dimension (LxWxH)** : 2.5 x 2.5 x 35 cm

## DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 1/2" F x 1/2" F connection, complete with washers. Ideal for sanitary application.

**Available sizes**: 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES**: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 1/2" F x 1/2" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, 1/2" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.



## Products and accessories available



**ATCIN02020205**  
Stainless steel  
flexible pipe 1/2" F x  
3/8" F INOX series



**ATCIN03020205**  
Stainless steel  
flexible pipe 3/8" F x  
3/8" F INOX series



**ATCIN04020205**  
Stainless steel  
flexible pipe 1/2" M x  
1/2" F INOX series




**ATCIN05020205**  
Stainless steel  
flexible pipe 1/2" M x  
3/8" F INOX series



**ATCIN06020205**  
Stainless steel  
flexible pipe 3/8" M x  
3/8" F INOX series



**ATCIN07020205**  
Stainless steel  
flexible pipe 3/8" M x  
1/2" F INOX series



**ARCA CONCEPT S.r.l.**

Via del Mella, 19/21

IT - 25131 Brescia

T. +39 030 7281057

Email: [info@arcaconcept.com](mailto:info@arcaconcept.com)

[www.arcaconcept.com](http://www.arcaconcept.com)



**Product name** : Stainless steel flexible pipe 1/2" F x 1/2" F INOX series

**Code** : ATCIN01045205

**Weight** : 0.12 kg

**Dimension (LxWxH)** : 2.5 x 2.5 x 45 cm

## DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 1/2" F x 1/2" F connection, complete with washers. Ideal for sanitary application.

**Available sizes**: 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES**: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 1/2" F x 1/2" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, 1/2" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

## Products and accessories available



**ATCIN02020205**  
Stainless steel  
flexible pipe 1/2" F x  
3/8" F INOX series



**ATCIN03020205**  
Stainless steel  
flexible pipe 3/8" F x  
3/8" F INOX series



**ATCIN04020205**  
Stainless steel  
flexible pipe 1/2" M x  
1/2" F INOX series




**ATCIN05020205**  
Stainless steel  
flexible pipe 1/2" M x  
3/8" F INOX series



**ATCIN06020205**  
Stainless steel  
flexible pipe 3/8" M x  
3/8" F INOX series



**ATCIN07020205**  
Stainless steel  
flexible pipe 3/8" M x  
1/2" F INOX series



**Product name** : Stainless steel flexible pipe 1/2" F x 1/2" F INOX series

**Code** : ATCIN01050205

**Weight** : 0.13 kg

**Dimension (LxWxH)** : 2.5 x 2.5 x 50 cm

## DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 1/2" F x 1/2" F connection, complete with washers. Ideal for sanitary application.

**Available sizes:** 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES:** MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 1/2" F x 1/2" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, 1/2" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

## Products and accessories available



**ATCIN02020205**  
Stainless steel  
flexible pipe 1/2" F x  
3/8" F INOX series



**ATCIN03020205**  
Stainless steel  
flexible pipe 3/8" F x  
3/8" F INOX series



**ATCIN04020205**  
Stainless steel  
flexible pipe 1/2" M x  
1/2" F INOX series




**ATCIN05020205**  
Stainless steel  
flexible pipe 1/2" M x  
3/8" F INOX series



**ATCIN06020205**  
Stainless steel  
flexible pipe 3/8" M x  
3/8" F INOX series



**ATCIN07020205**  
Stainless steel  
flexible pipe 3/8" M x  
1/2" F INOX series



**ARCA CONCEPT S.r.l.**

Via del Mella, 19/21

IT - 25131 Brescia

T. +39 030 7281057

Email: [info@arcaconcept.com](mailto:info@arcaconcept.com)

[www.arcaconcept.com](http://www.arcaconcept.com)



**Product name** : Stainless steel flexible pipe 1/2" F x 1/2" F INOX series

**Code** : ATCIN01060205

**Weight** : 0.14 kg

**Dimension (LxWxH)** : 2.5 x 2.5 x 60 cm

## DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 1/2" F x 1/2" F connection, complete with washers. Ideal for sanitary application.

**Available sizes:** 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES:** MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 1/2" F x 1/2" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, 1/2" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.



## Products and accessories available



**ATCIN02020205**  
Stainless steel  
flexible pipe 1/2" F x  
3/8" F INOX series



**ATCIN03020205**  
Stainless steel  
flexible pipe 3/8" F x  
3/8" F INOX series



**ATCIN04020205**  
Stainless steel  
flexible pipe 1/2" M x  
1/2" F INOX series




**ATCIN05020205**  
Stainless steel  
flexible pipe 1/2" M x  
3/8" F INOX series



**ATCIN06020205**  
Stainless steel  
flexible pipe 3/8" M x  
3/8" F INOX series



**ATCIN07020205**  
Stainless steel  
flexible pipe 3/8" M x  
1/2" F INOX series





**Product name** : Stainless steel flexible pipe 1/2" F x 1/2" F INOX series

**Code** : ATCIN01070205

**Weight** : 0.16 kg

**Dimension (LxWxH)** : 2.5 x 2.5 x 70 cm

## DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 1/2" F x 1/2" F connection, complete with washers. Ideal for sanitary application.

**Available sizes**: 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES**: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 1/2" F x 1/2" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, 1/2" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

## Products and accessories available



**ATCIN02020205**  
Stainless steel  
flexible pipe 1/2" F x  
3/8" F INOX series



**ATCIN03020205**  
Stainless steel  
flexible pipe 3/8" F x  
3/8" F INOX series



**ATCIN04020205**  
Stainless steel  
flexible pipe 1/2" M x  
1/2" F INOX series




**ATCIN05020205**  
Stainless steel  
flexible pipe 1/2" M x  
3/8" F INOX series



**ATCIN06020205**  
Stainless steel  
flexible pipe 3/8" M x  
3/8" F INOX series



**ATCIN07020205**  
Stainless steel  
flexible pipe 3/8" M x  
1/2" F INOX series



**Product name** : Stainless steel flexible pipe 1/2" F x 1/2" F INOX series

**Code** : ATCIN01080205

**Weight** : 0.18 kg

**Dimension (LxWxH)** : 2.5 x 2.5 x 80 cm

## DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 1/2" F x 1/2" F connection, complete with washers. Ideal for sanitary application.

**Available sizes:** 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES:** MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 1/2" F x 1/2" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, 1/2" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.



## Products and accessories available



**ATCIN02020205**  
Stainless steel  
flexible pipe 1/2" F x  
3/8" F INOX series



**ATCIN03020205**  
Stainless steel  
flexible pipe 3/8" F x  
3/8" F INOX series



**ATCIN04020205**  
Stainless steel  
flexible pipe 1/2" M x  
1/2" F INOX series




**ATCIN05020205**  
Stainless steel  
flexible pipe 1/2" M x  
3/8" F INOX series



**ATCIN06020205**  
Stainless steel  
flexible pipe 3/8" M x  
3/8" F INOX series



**ATCIN07020205**  
Stainless steel  
flexible pipe 3/8" M x  
1/2" F INOX series



**Product name** : Stainless steel flexible pipe 1/2" F x 1/2" F INOX series

**Code** : ATCIN01100205

**Weight** : 0.21 kg

**Dimension (LxWxH)** : 2.5 x 2.5 x 100 cm

## DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 1/2" F x 1/2" F connection, complete with washers. Ideal for sanitary application.

**Available sizes**: 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES**: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 1/2" F x 1/2" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, 1/2" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.



## Products and accessories available



**ATCIN02020205**  
Stainless steel  
flexible pipe 1/2" F x  
3/8" F INOX series



**ATCIN03020205**  
Stainless steel  
flexible pipe 3/8" F x  
3/8" F INOX series



**ATCIN04020205**  
Stainless steel  
flexible pipe 1/2" M x  
1/2" F INOX series



**ATCIN05020205**  
Stainless steel  
flexible pipe 1/2" M x  
3/8" F INOX series



**ATCIN06020205**  
Stainless steel  
flexible pipe 3/8" M x  
3/8" F INOX series



**ATCIN07020205**  
Stainless steel  
flexible pipe 3/8" M x  
1/2" F INOX series

