

Product name : Stainless steel flexible pipe 1/2" F X 3/8" F INOX series 20cm

Code : ATCIN02020205

Weight : 0.08 kg

Dimension (LxWxH) : 2.5 x 2.5 x 20 cm

DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 1/2" F x 3/8" F connection, complete with washers. Ideal for sanitary application.

Available sizes: 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm

FEATURES: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 1/2" F x 3/8" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, 1/2" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

Products and accessories available



ATCIN03020205

Stainless steel
flexible pipe 3/8" F x
3/8" F INOX series

ATCIN04020205

Stainless steel
flexible pipe 1/2" M x
1/2" F INOX series

ATCIN05020205

Stainless steel
flexible pipe 1/2" M x
3/8" F INOX series

ATCIN06020205

Stainless steel
flexible pipe 3/8" M x
3/8" F INOX series


ATCIN07020205

Stainless steel
flexible pipe 3/8" M x
1/2" F INOX series



ATCIN01020205

Stainless steel
flexible pipe 1/2" F x
1/2" F INOX series



Product name : Stainless steel flexible pipe 1/2" F X 3/8" F INOX series 25cm

Code : ATCIN02025205

Weight : 0.09 kg

Dimension (LxWxH) : 2.5 x 2.5 x 25 cm

DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 1/2" F x 3/8" F connection, complete with washers. Ideal for sanitary application.

Available sizes: 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm

FEATURES: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 1/2" F x 3/8" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, 1/2" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

Products and accessories available



ATCIN03020205

Stainless steel
flexible pipe 3/8" F x
3/8" F INOX series

ATCIN04020205

Stainless steel
flexible pipe 1/2" M x
1/2" F INOX series

ATCIN05020205

Stainless steel
flexible pipe 1/2" M x
3/8" F INOX series

ATCIN06020205

Stainless steel
flexible pipe 3/8" M x
3/8" F INOX series


ATCIN07020205

Stainless steel
flexible pipe 3/8" M x
1/2" F INOX series



ATCIN01020205

Stainless steel
flexible pipe 1/2" F x
1/2" F INOX series



Product name : Stainless steel flexible pipe 1/2" F X 3/8" F INOX series 30cm

Code : ATCIN02030205

Weight : 0.1 kg

Dimension (LxWxH) : 2.5 x 2.5 x 30 cm

DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 1/2" F x 3/8" F connection, complete with washers. Ideal for sanitary application.

Available sizes: 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm

FEATURES: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 1/2" F x 3/8" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, 1/2" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

Products and accessories available



ATCIN03020205

Stainless steel
flexible pipe 3/8" F x
3/8" F INOX series

ATCIN04020205

Stainless steel
flexible pipe 1/2" M x
1/2" F INOX series

ATCIN05020205

Stainless steel
flexible pipe 1/2" M x
3/8" F INOX series

ATCIN06020205

Stainless steel
flexible pipe 3/8" M x
3/8" F INOX series


ATCIN07020205

Stainless steel
flexible pipe 3/8" M x
1/2" F INOX series



ATCIN01020205

Stainless steel
flexible pipe 1/2" F x
1/2" F INOX series



ARCA

Product name : Stainless steel flexible pipe 1/2" F X 3/8" F INOX series 35cm

Code : ATCIN02035205

Weight : 0.1 kg

Dimension (LxWxH) : 2.5 x 2.5 x 35 cm

DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 1/2" F x 3/8" F connection, complete with washers. Ideal for sanitary application.

Available sizes: 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm

FEATURES: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 1/2" F x 3/8" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, 1/2" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

Products and accessories available



ATCIN03020205

Stainless steel
flexible pipe 3/8" F x
3/8" F INOX series



ATCIN04020205

Stainless steel
flexible pipe 1/2" M x
1/2" F INOX series



ATCIN05020205

Stainless steel
flexible pipe 1/2" M x
3/8" F INOX series



ATCIN06020205

Stainless steel
flexible pipe 3/8" M x
3/8" F INOX series



ATCIN07020205

Stainless steel
flexible pipe 3/8" M x
1/2" F INOX series



ATCIN01020205

Stainless steel
flexible pipe 1/2" F x
1/2" F INOX series

ARCA CONCEPT S.r.l.


Via del Mella, 19/21

IT - 25131 Brescia

T. +39 030 7281057

Email: info@arcaconcept.com

www.arcaconcept.com



Product name : Stainless steel flexible pipe 1/2" F X 3/8" F INOX series 40cm

Code : ATCIN02040205

Weight : 0.11 kg

Dimension (LxWxH) : 2.5 x 2.5 x 40 cm

DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 1/2" F x 3/8" F connection, complete with washers. Ideal for sanitary application.

Available sizes: 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm

FEATURES: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 1/2" F x 3/8" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, 1/2" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

Products and accessories available



ATCIN03020205

Stainless steel
flexible pipe 3/8" F x
3/8" F INOX series

ATCIN04020205

Stainless steel
flexible pipe 1/2" M x
1/2" F INOX series

ATCIN05020205

Stainless steel
flexible pipe 1/2" M x
3/8" F INOX series

ATCIN06020205

Stainless steel
flexible pipe 3/8" M x
3/8" F INOX series


ATCIN07020205

Stainless steel
flexible pipe 3/8" M x
1/2" F INOX series



ATCIN01020205

Stainless steel
flexible pipe 1/2" F x
1/2" F INOX series



Product name : Stainless steel flexible pipe 1/2" F X 3/8" F INOX series 45cm

Code : ATCIN02045205

Weight : 0.12 kg

Dimension (LxWxH) : 2.5 x 2.5 x 45 cm

DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 1/2" F x 3/8" F connection, complete with washers. Ideal for sanitary application.

Available sizes: 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm

FEATURES: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 1/2" F x 3/8" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, 1/2" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

Products and accessories available



ATCIN03020205

Stainless steel
flexible pipe 3/8" F x
3/8" F INOX series

ATCIN04020205

Stainless steel
flexible pipe 1/2" M x
1/2" F INOX series

ATCIN05020205

Stainless steel
flexible pipe 1/2" M x
3/8" F INOX series

ATCIN06020205

Stainless steel
flexible pipe 3/8" M x
3/8" F INOX series


ATCIN07020205

Stainless steel
flexible pipe 3/8" M x
1/2" F INOX series



ATCIN01020205

Stainless steel
flexible pipe 1/2" F x
1/2" F INOX series



Product name : Stainless steel flexible pipe 1/2" F X 3/8" F INOX series 50cm

Code : ATCIN02050205

Weight : 0.13 kg

Dimension (LxWxH) : 2.5 x 2.5 x 50 cm

DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 1/2" F x 3/8" F connection, complete with washers. Ideal for sanitary application.

Available sizes: 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm

FEATURES: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 1/2" F x 3/8" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, 1/2" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

Products and accessories available



ATCIN03020205

Stainless steel
flexible pipe 3/8" F x
3/8" F INOX series

ATCIN04020205

Stainless steel
flexible pipe 1/2" M x
1/2" F INOX series

ATCIN05020205

Stainless steel
flexible pipe 1/2" M x
3/8" F INOX series

ATCIN06020205

Stainless steel
flexible pipe 3/8" M x
3/8" F INOX series


ATCIN07020205

Stainless steel
flexible pipe 3/8" M x
1/2" F INOX series



ATCIN01020205

Stainless steel
flexible pipe 1/2" F x
1/2" F INOX series



Product name : Stainless steel flexible pipe 1/2" F X 3/8" F INOX series 60cm

Code : ATCIN02060205

Weight : 0.14 kg

Dimension (LxWxH) : 2.5 x 2.5 x 60 cm

DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 1/2" F x 3/8" F connection, complete with washers. Ideal for sanitary application.

Available sizes: 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm

FEATURES: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 1/2" F x 3/8" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, 1/2" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

Products and accessories available



ATCIN03020205

Stainless steel
flexible pipe 3/8" F x
3/8" F INOX series

ATCIN04020205

Stainless steel
flexible pipe 1/2" M x
1/2" F INOX series

ATCIN05020205

Stainless steel
flexible pipe 1/2" M x
3/8" F INOX series

ATCIN06020205

Stainless steel
flexible pipe 3/8" M x
3/8" F INOX series


ATCIN07020205

Stainless steel
flexible pipe 3/8" M x
1/2" F INOX series



ATCIN01020205

Stainless steel
flexible pipe 1/2" F x
1/2" F INOX series



Product name : Stainless steel flexible pipe 1/2" F X 3/8" F INOX series 70cm

Code : ATCIN02070205

Weight : 0.16 kg

Dimension (LxWxH) : 2.5 x 2.5 x 70 cm

DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 1/2" F x 3/8" F connection, complete with washers. Ideal for sanitary application.

Available sizes: 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm

FEATURES: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 1/2" F x 3/8" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, 1/2" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

Products and accessories available



ATCIN03020205

Stainless steel
flexible pipe 3/8" F x
3/8" F INOX series

ATCIN04020205

Stainless steel
flexible pipe 1/2" M x
1/2" F INOX series

ATCIN05020205

Stainless steel
flexible pipe 1/2" M x
3/8" F INOX series

ATCIN06020205

Stainless steel
flexible pipe 3/8" M x
3/8" F INOX series


ATCIN07020205

Stainless steel
flexible pipe 3/8" M x
1/2" F INOX series



ATCIN01020205

Stainless steel
flexible pipe 1/2" F x
1/2" F INOX series



Product name : Stainless steel flexible pipe 1/2" F X 3/8" F INOX series 80cm

Code : ATCIN02080205

Weight : 0.18 kg

Dimension (LxWxH) : 2.5 x 2.5 x 80 cm

DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 1/2" F x 3/8" F connection, complete with washers. Ideal for sanitary application.

Available sizes: 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm

FEATURES: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 1/2" F x 3/8" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, 1/2" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

Products and accessories available



ATCIN03020205

Stainless steel
flexible pipe 3/8" F x
3/8" F INOX series

ATCIN04020205

Stainless steel
flexible pipe 1/2" M x
1/2" F INOX series

ATCIN05020205

Stainless steel
flexible pipe 1/2" M x
3/8" F INOX series

ATCIN06020205

Stainless steel
flexible pipe 3/8" M x
3/8" F INOX series


ATCIN07020205

Stainless steel
flexible pipe 3/8" M x
1/2" F INOX series



ATCIN01020205

Stainless steel
flexible pipe 1/2" F x
1/2" F INOX series



Product name : Stainless steel flexible pipe 1/2" F X 3/8" F INOX series 100cm

Code : ATCIN02100205

Weight : 0.21 kg

Dimension (LxWxH) : 2.5 x 2.5 x 100 cm

DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 1/2" F x 3/8" F connection, complete with washers. Ideal for sanitary application.

Available sizes: 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm

FEATURES: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 1/2" F x 3/8" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, 1/2" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

Products and accessories available



ATCIN03020205

Stainless steel
flexible pipe 3/8" F x
3/8" F INOX series

ATCIN04020205

Stainless steel
flexible pipe 1/2" M x
1/2" F INOX series

ATCIN05020205

Stainless steel
flexible pipe 1/2" M x
3/8" F INOX series

ATCIN06020205

Stainless steel
flexible pipe 3/8" M x
3/8" F INOX series

ATCIN07020205

Stainless steel
flexible pipe 3/8" M x
1/2" F INOX series



ATCIN01020205

Stainless steel
flexible pipe 1/2" F x
1/2" F INOX series