

Product name: Stainless steel flexible pipe 3/8" F x 3/8" F INOX series

Code : ATCIN03020205

Weight: 0.08 kg

Dimension (LxWxH): 2.5 x 2.5 x 20 cm

## **DESCRIPTION**

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 3/8" F x 3/8" F connection, complete with washers. Ideal for sanitary application.

**Available sizes:** 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES:** MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 3/8" F x 3/8" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, ½" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.



ATCIN04020205 Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



ATCIN05020205 Stainless steel flexible pipe 1/2" M x 3/8" F INOX series



ATCIN06020205 Stainless steel flexible pipe 3/8" M x 3/8" F INOX series



ATCIN07020205 Stainless steel flexible pipe 3/8" M x 1/2" F INOX series




Stainless steel flexible pipe 1/2" F x 3/8" F INOX series



Stainless steel flexible pipe 1/2" F x 1/2" F INOX series







Product name: Stainless steel flexible pipe 3/8" F x 3/8" F INOX series

Code : ATCIN03025205

Weight: 0.09 kg

Dimension (LxWxH): 2.5 x 2.5 x 25 cm

## **DESCRIPTION**

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 3/8" F x 3/8" F connection, complete with washers. Ideal for sanitary application.

**Available sizes:** 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES:** MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 3/8" F x 3/8" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, ½" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.



ATCIN04020205 Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



ATCIN05020205 Stainless steel flexible pipe 1/2" M x 3/8" F INOX series



ATCIN06020205 Stainless steel flexible pipe 3/8" M x 3/8" F INOX series



ATCIN07020205 Stainless steel flexible pipe 3/8" M x 1/2" F INOX series




Stainless steel flexible pipe 1/2" F x 3/8" F INOX series



Stainless steel flexible pipe 1/2" F x 1/2" F INOX series







Product name: Stainless steel flexible pipe 3/8" F x 3/8" F INOX series

**Code**: ATCIN03030205

Weight: 0.1 kg

Dimension (LxWxH): 2.5 x 2.5 x 30 cm

## **DESCRIPTION**

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 3/8" F x 3/8" F connection, complete with washers. Ideal for sanitary application.

**Available sizes:** 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES:** MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 3/8" F x 3/8" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, ½" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.



ATCIN04020205 Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



ATCIN05020205 Stainless steel flexible pipe 1/2" M x 3/8" F INOX series



ATCIN06020205 Stainless steel flexible pipe 3/8" M x 3/8" F INOX series



ATCIN07020205 Stainless steel flexible pipe 3/8" M x 1/2" F INOX series




Stainless steel flexible pipe 1/2" F x 3/8" F INOX series



ATCIN01020205 Stainless steel flexible pipe 1/2" F x 1/2" F INOX series







Product name: Stainless steel flexible pipe 3/8" F x 3/8" F INOX series

 $\textbf{Code}: \mathsf{ATCIN} 03035205$ 

Weight: 0.1 kg

**Dimension (LxWxH)**: 2.5 x 2.5 x 35 cm

## **DESCRIPTION**

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 3/8" F x 3/8" F connection, complete with washers. Ideal for sanitary application.

**Available sizes:** 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES:** MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 3/8" F x 3/8" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, ½" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.



ATCIN04020205 Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



ATCIN05020205 Stainless steel flexible pipe 1/2" M x 3/8" F INOX series



ATCIN06020205 Stainless steel flexible pipe 3/8" M x 3/8" F INOX series



ATCIN07020205 Stainless steel flexible pipe 3/8" M x 1/2" F INOX series




Stainless steel flexible pipe 1/2" F x 3/8" F INOX series



Stainless steel flexible pipe 1/2" F x 1/2" F INOX series







Product name: Stainless steel flexible pipe 3/8" F x 3/8" F INOX series

**Code**: ATCIN03040205

Weight: 0.11 kg

Dimension (LxWxH): 2.5 x 2.5 x 40 cm

## **DESCRIPTION**

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 3/8" F x 3/8" F connection, complete with washers. Ideal for sanitary application.

**Available sizes:** 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES:** MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 3/8" F x 3/8" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, ½" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.



ATCIN04020205 Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



ATCIN05020205 Stainless steel flexible pipe 1/2" M x 3/8" F INOX series



ATCIN06020205 Stainless steel flexible pipe 3/8" M x 3/8" F INOX series



ATCIN07020205 Stainless steel flexible pipe 3/8" M x 1/2" F INOX series




Stainless steel flexible pipe 1/2" F x 3/8" F INOX series



Stainless steel flexible pipe 1/2" F x 1/2" F INOX series







Product name: Stainless steel flexible pipe 3/8" F x 3/8" F INOX series

Code : ATCIN03045205

Weight: 0.12 kg

**Dimension (LxWxH)**: 2.5 x 2.5 x 45 cm

## **DESCRIPTION**

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 3/8" F x 3/8" F connection, complete with washers. Ideal for sanitary application.

**Available sizes:** 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES:** MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 3/8" F x 3/8" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, ½" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.



ATCIN04020205 Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



ATCIN05020205 Stainless steel flexible pipe 1/2" M x 3/8" F INOX series



ATCIN06020205 Stainless steel flexible pipe 3/8" M x 3/8" F INOX series



ATCIN07020205 Stainless steel flexible pipe 3/8" M x 1/2" F INOX series




Stainless steel flexible pipe 1/2" F x 3/8" F INOX series



Stainless steel flexible pipe 1/2" F x 1/2" F INOX series







Product name: Stainless steel flexible pipe 3/8" F x 3/8" F INOX series

Code : ATCIN03050205

Weight: 0.13 kg

**Dimension (LxWxH)**: 2.5 x 2.5 x 50 cm

## **DESCRIPTION**

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 3/8" F x 3/8" F connection, complete with washers. Ideal for sanitary application.

**Available sizes:** 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES:** MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 3/8" F x 3/8" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, ½" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.



ATCIN04020205 Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



ATCIN05020205 Stainless steel flexible pipe 1/2" M x 3/8" F INOX series



ATCIN06020205 Stainless steel flexible pipe 3/8" M x 3/8" F INOX series



Stainless steel flexible pipe 3/8" M x 1/2" F INOX series




Stainless steel flexible pipe 1/2" F x 3/8" F INOX series



Stainless steel flexible pipe 1/2" F x 1/2" F INOX series







Product name: Stainless steel flexible pipe 3/8" F x 3/8" F INOX series

**Code**: ATCIN03060205

Weight: 0.14 kg

Dimension (LxWxH): 2.5 x 2.5 x 60 cm

## **DESCRIPTION**

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 3/8" F x 3/8" F connection, complete with washers. Ideal for sanitary application.

**Available sizes:** 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES:** MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 3/8" F x 3/8" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, ½" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.



ATCIN04020205 Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



ATCIN05020205 Stainless steel flexible pipe 1/2" M x 3/8" F INOX series



ATCIN06020205 Stainless steel flexible pipe 3/8" M x 3/8" F INOX series



ATCIN07020205 Stainless steel flexible pipe 3/8" M x 1/2" F INOX series




Stainless steel flexible pipe 1/2" F x 3/8" F INOX series



Stainless steel flexible pipe 1/2" F x 1/2" F INOX series







Product name: Stainless steel flexible pipe 3/8" F x 3/8" F INOX series

Code : ATCIN03070205

**Weight**: 0.16 kg **Dimension (LxWxH)**: 2.5 x 2.5 x 70 cm

Difficultion (LAVAII) . 2.3 x 2.3 x 70 cm

## **DESCRIPTION**

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 3/8" F x 3/8" F connection, complete with washers. Ideal for sanitary application.

**Available sizes:** 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES:** MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 3/8" F x 3/8" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, ½" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.



ATCIN04020205 Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



ATCIN05020205 Stainless steel flexible pipe 1/2" M x 3/8" F INOX series



ATCIN06020205
Stainless steel
flexible pipe 3/8" M x
3/8" F INOX series

ATCIN07020205
Stainless steel
flexible pipe 3/8" M x
1/2" F INOX series




ATCIN02020205 Stainless steel flexible pipe 1/2" F x 3/8" F INOX series



ATCIN01020205 Stainless steel flexible pipe 1/2" F x 1/2" F INOX series







Weight : 0.18 kg Dimension (LxWxH) :  $2.5 \times 2.5 \times 80$  cm

**Code**: ATCIN03080205

## **DESCRIPTION**

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection.  $\emptyset$  14 mm 7 wires, 3/8" F x 3/8" F connection, complete with washers. Ideal for sanitary application.

Product name: Stainless steel flexible pipe 3/8" F x 3/8" F INOX series

**Available sizes:** 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES:** MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 3/8" F x 3/8" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, ½" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

## Products and accessories available



ATCIN04020205 Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



ATCIN05020205 Stainless steel flexible pipe 1/2" M x 3/8" F INOX series



ATCIN06020205 Stainless steel flexible pipe 3/8" M x 3/8" F INOX series



ATCIN07020205 Stainless steel flexible pipe 3/8" M x 1/2" F INOX series



Stainless steel flexible pipe 1/2" F x 3/8" F INOX series



Stainless steel flexible pipe 1/2" F x 1/2" F INOX series


ARCA CONCEPT S.r.I. Via del Mella, 19/21

IT - 25131 Brescia T. +39 030 7281057

Email: info@arcaconcept.com www.arcaconcept.com







Product name: Stainless steel flexible pipe 3/8" F x 3/8" F INOX series

**Code**: ATCIN03100205

Weight: 0.21 kg

Dimension (LxWxH): 2.5 x 2.5 x 100 cm

# **DESCRIPTION**

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 3/8" F x 3/8" F connection, complete with washers. Ideal for sanitary application.

**Available sizes:** 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES:** MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 3/8" F x 3/8" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves, stapled 0,22 mm thickness, ½" rubber gaskets included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.



ATCIN04020205 Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



ATCIN05020205 Stainless steel flexible pipe 1/2" M x 3/8" F INOX series



ATCIN06020205 Stainless steel flexible pipe 3/8" M x 3/8" F INOX series



Stainless steel flexible pipe 3/8" M x 1/2" F INOX series



Stainless steel flexible pipe 1/2" F x 3/8" F INOX series



ATCIN01020205 Stainless steel flexible pipe 1/2" F x 1/2" F INOX series