



Product name : Stainless steel flexible pipe 3/8" M x 1/2" F INOX series Code : ATCIN07020205 Weight : 0.08 kg Dimension (LxWxH) : 2.5 x 2.5 x 20 cm

## DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection.  $\emptyset$  14 mm 7 wires, 3/8" M x 1/2" F connection, 20 cm length, complete with washer. Ideal for sanitary application.

**Available sizes:** 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES**: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 20 cm length, 3/8" M x 1/2" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves stapled 0,22 mm thickness, 3/8" rubber gasket included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

#### Products and accessories available



Stainless steel

flexible pipe 3/8" F x

3/8" F INOX series



Stainless steel

flexible pipe 1/2" M x


3/8" F INOX series

ATCIN02020205 Stainless steel flexible pipe 1/2" F x 3/8" F INOX series

ATCIN06020205 Stainless steel flexible pipe 3/8" M x 3/8" F INOX series



ATCIN04020205 Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



# ARCA CONCEPT S.r.I.



ATCIN01020205 Stainless steel flexible pipe 1/2" F x 1/2" F INOX series





Product name : Stainless steel flexible pipe 3/8" M x 1/2" F INOX series Code : ATCIN07025205 Weight : 0.09 kg Dimension (LxWxH) :  $2.5 \times 2.5 \times 25$  cm

## DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 3/8" M x 1/2" F connection, 20 cm length, complete with washer. Ideal for sanitary application.

**Available sizes:** 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES**: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 20 cm length, 3/8" M x 1/2" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves stapled 0,22 mm thickness, 3/8" rubber gasket included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

### Products and accessories available






ATCIN03020205ATCIN05020205Stainless steelStainless steelflexible pipe 3/8" F xflexible pipe 1/2" M3/8" F INOX series3/8" F INOX series

ATCIN05020205 A Stainless steel S flexible pipe 1/2" M x fl

ATCIN02020205 Stainless steel flexible pipe 1/2" F x 3/8" F INOX series ATCIN06020205 Stainless steel flexible pipe 3/8" M x 3/8" F INOX series U

ATCIN04020205 Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



### ARCA CONCEPT S.r.I.

Via del Mella, 19/21 IT - 25131 Brescia T. +39 030 7281057 Email: info@arcaconcept.com www.arcaconcept.com



ATCIN01020205 Stainless steel flexible pipe 1/2" F x 1/2" F INOX series





Product name : Stainless steel flexible pipe 3/8" M x 1/2" F INOX series Code : ATCIN07030205 Weight : 0.1 kg Dimension (LxWxH) : 2.5 x 2.5 x 30 cm

## DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 3/8" M x 1/2" F connection, 20 cm length, complete with washer. Ideal for sanitary application.

**Available sizes:** 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES**: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 20 cm length, 3/8" M x 1/2" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves stapled 0,22 mm thickness, 3/8" rubber gasket included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

#### Products and accessories available



Stainless steel

flexible pipe 3/8" F x

3/8" F INOX series



Stainless steel


flexible pipe 1/2" M x

3/8" F INOX series

ATCIN02020205 Stainless steel flexible pipe 1/2" F x 3/8" F INOX series

ATCIN06020205 Stainless steel flexible pipe 3/8" M x 3/8" F INOX series ATCIN04020205

Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



### ARCA CONCEPT S.r.I.



ATCIN01020205 Stainless steel flexible pipe 1/2" F x 1/2" F INOX series





Product name : Stainless steel flexible pipe 3/8" M x 1/2" F INOX series Code : ATCIN07035205 Weight : 0.1 kg Dimension (LxWxH) :  $2.5 \times 2.5 \times 35$  cm

## DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 3/8" M x 1/2" F connection, 20 cm length, complete with washer. Ideal for sanitary application.

**Available sizes:** 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES**: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 20 cm length, 3/8" M x 1/2" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves stapled 0,22 mm thickness, 3/8" rubber gasket included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

#### Products and accessories available



Stainless steel

flexible pipe 3/8" F x

3/8" F INOX series



Stainless steel


flexible pipe 1/2" M x

3/8" F INOX series

ATCIN02020205 Stainless steel flexible pipe 1/2" F x 3/8" F INOX series

ATCIN06020205 Stainless steel flexible pipe 3/8" M x 3/8" F INOX series TCIN04020205

ATCIN04020205 Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



# ARCA CONCEPT S.r.I.



ATCIN01020205 Stainless steel flexible pipe 1/2" F x 1/2" F INOX series





Product name : Stainless steel flexible pipe 3/8" M x 1/2" F INOX series Code : ATCIN07040205 Weight : 0.11 kg Dimension (LxWxH) :  $2.5 \times 2.5 \times 40$  cm

## DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 3/8" M x 1/2" F connection, 20 cm length, complete with washer. Ideal for sanitary application.

**Available sizes:** 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES**: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 20 cm length, 3/8" M x 1/2" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves stapled 0,22 mm thickness, 3/8" rubber gasket included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

#### Products and accessories available



Stainless steel

flexible pipe 3/8" F x

3/8" F INOX series



Stainless steel

flexible pipe 1/2" M x


3/8" F INOX series

ATCIN02020205 Stainless steel flexible pipe 1/2" F x 3/8" F INOX series

ATCIN06020205 Stainless steel flexible pipe 3/8" M x 3/8" F INOX series



ATCIN04020205 Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



# ARCA CONCEPT S.r.I.



ATCIN01020205 Stainless steel flexible pipe 1/2" F x 1/2" F INOX series





Product name : Stainless steel flexible pipe 3/8" M x 1/2" F INOX series Code : ATCIN07045205 Weight : 0.12 kg Dimension (LxWxH) :  $2.5 \times 2.5 \times 45$  cm

## DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 3/8" M x 1/2" F connection, 20 cm length, complete with washer. Ideal for sanitary application.

**Available sizes:** 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES**: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 20 cm length, 3/8" M x 1/2" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves stapled 0,22 mm thickness, 3/8" rubber gasket included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

### Products and accessories available



Stainless steel

flexible pipe 3/8" F x

3/8" F INOX series



Stainless steel

flexible pipe 1/2" M x


3/8" F INOX series

ATCIN02020205 Stainless steel flexible pipe 1/2" F x 3/8" F INOX series

ATCIN06020205 Stainless steel flexible pipe 3/8" M x 3/8" F INOX series



ATCIN04020205 Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



# ARCA CONCEPT S.r.I.



ATCIN01020205 Stainless steel flexible pipe 1/2" F x 1/2" F INOX series





Product name : Stainless steel flexible pipe 3/8" M x 1/2" F INOX series Code : ATCIN07050205 Weight : 0.13 kg Dimension (LxWxH) :  $2.5 \times 2.5 \times 50$  cm

## DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 3/8" M x 1/2" F connection, 20 cm length, complete with washer. Ideal for sanitary application.

**Available sizes:** 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES**: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 20 cm length, 3/8" M x 1/2" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves stapled 0,22 mm thickness, 3/8" rubber gasket included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

#### Products and accessories available



Stainless steel

flexible pipe 3/8" F x

3/8" F INOX series



Stainless steel


flexible pipe 1/2" M x

3/8" F INOX series

ATCIN02020205 Stainless steel flexible pipe 1/2" F x 3/8" F INOX series

ATCIN06020205 Stainless steel flexible pipe 3/8" M x 3/8" F INOX series ATCIN04020205

ATCIN04020205 Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



# ARCA CONCEPT S.r.I.



ATCIN01020205 Stainless steel flexible pipe 1/2" F x 1/2" F INOX series





Product name : Stainless steel flexible pipe 3/8" M x 1/2" F INOX series Code : ATCIN07060205 Weight : 0.14 kg Dimension (LxWxH) :  $2.5 \times 2.5 \times 60$  cm

## DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection.  $\emptyset$  14 mm 7 wires, 3/8" M x 1/2" F connection, 20 cm length, complete with washer. Ideal for sanitary application.

**Available sizes:** 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES**: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 20 cm length, 3/8" M x 1/2" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves stapled 0,22 mm thickness, 3/8" rubber gasket included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

#### Products and accessories available



Stainless steel

flexible pipe 3/8" F x

3/8" F INOX series



Stainless steel

flexible pipe 1/2" M x


3/8" F INOX series

ATCIN02020205 Stainless steel flexible pipe 1/2" F x 3/8" F INOX series

ATCIN06020205 Stainless steel flexible pipe 3/8" M x 3/8" F INOX series



ATCIN04020205 Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



# ARCA CONCEPT S.r.I.



ATCIN01020205 Stainless steel flexible pipe 1/2" F x 1/2" F INOX series





Product name : Stainless steel flexible pipe 3/8" M x 1/2" F INOX series Code : ATCIN07070205 Weight : 0.16 kg Dimension (LxWxH) :  $2.5 \times 2.5 \times 70$  cm

## DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 3/8" M x 1/2" F connection, 20 cm length, complete with washer. Ideal for sanitary application.

**Available sizes:** 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES**: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 20 cm length, 3/8" M x 1/2" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves stapled 0,22 mm thickness, 3/8" rubber gasket included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

#### Products and accessories available



Stainless steel

flexible pipe 3/8" F x

3/8" F INOX series



Stainless steel


flexible pipe 1/2" M x

3/8" F INOX series

ATCIN02020205 Stainless steel flexible pipe 1/2" F x 3/8" F INOX series

ATCIN06020205 Stainless steel flexible pipe 3/8" M x 3/8" F INOX series ATCIN04020205

ATCIN04020205 Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



# ARCA CONCEPT S.r.I.



ATCIN01020205 Stainless steel flexible pipe 1/2" F x 1/2" F INOX series





Product name : Stainless steel flexible pipe 3/8" M x 1/2" F INOX series Code : ATCIN07080205 Weight : 0.18 kg Dimension (LxWxH) :  $2.5 \times 2.5 \times 80$  cm

## DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection. Ø 14 mm 7 wires, 3/8" M x 1/2" F connection, 20 cm length, complete with washer. Ideal for sanitary application.

**Available sizes:** 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES**: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 20 cm length, 3/8" M x 1/2" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves stapled 0,22 mm thickness, 3/8" rubber gasket included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

#### Products and accessories available



Stainless steel

flexible pipe 3/8" F x

3/8" F INOX series



ATCIN05020205 ATCIN02 Stainless steel Stainless flexible pipe 1/2" M x 3/8" F INOX series 3/8" F INO




ATCIN02020205 Stainless steel flexible pipe 1/2" F x 3/8" F INOX series

ATCIN06020205 Stainless steel flexible pipe 3/8" M x 3/8" F INOX series



ATCIN04020205 Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



# ARCA CONCEPT S.r.I.



ATCIN01020205 Stainless steel flexible pipe 1/2" F x 1/2" F INOX series





Product name : Stainless steel flexible pipe 3/8" M x 1/2" F INOX series Code : ATCIN07100205 Weight : 0.21 kg Dimension (LxWxH) :  $2.5 \times 2.5 \times 100$  cm

## DESCRIPTION

AISI 304-DN 10 stainless steel flexible pipe, **INOX** collection.  $\emptyset$  14 mm 7 wires, 3/8" M x 1/2" F connection, 20 cm length, complete with washer. Ideal for sanitary application.

**Available sizes:** 20 cm, 25 cm, 30 cm, 35 cm, 40 cm, 45 cm, 50 cm, 60 cm, 70 cm, 80 cm, 100 cm.

**FEATURES**: MADE IN ITALY, AISI 304-DN 10 stainless steel flexible pipe, Ø 14 mm 7 wires, 20 cm length, 3/8" M x 1/2" F connection, EPDM inner pipe, nickel plated brass fittings, AISI 304 stainless steel sleeves stapled 0,22 mm thickness, 3/8" rubber gasket included, operating temperature from -4° to +90°, max working pressure: 15 BAR, burst pressure: 80 BAR, curvature radius: 45 mm, water consumption: 63 lt/min-3 BAR, high resistance, 5 years warranty, plastic bag packed.

#### Products and accessories available



Stainless steel

flexible pipe 3/8" F x

3/8" F INOX series



Stainless steel

flexible pipe 1/2" M x


3/8" F INOX series

ATCIN02020205 Stainless steel flexible pipe 1/2" F x 3/8" F INOX series

ATCIN06020205 Stainless steel flexible pipe 3/8" M x 3/8" F INOX series



ATCIN04020205 Stainless steel flexible pipe 1/2" M x 1/2" F INOX series



# ARCA CONCEPT S.r.I.



ATCIN01020205 Stainless steel flexible pipe 1/2" F x 1/2" F INOX series