

Product name : Floor drain grid LINE series 90 cm STANDARD smooth version Code : CNLLI090STL105 Weight : 3.4 kg Dimension (LxWxH) : 12 x 15 x 109 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid **LINE** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.


Available versions: STANDARD version H 105 mm threaded (F1), STANDARD version h 105 mm smooth (L1), LOWER version h 85 mm threaded (F1), LOWER version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, lenght 90 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and saline environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lt/min, 5 years warranty and

box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centres, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.

Products and accessories available





CNLLI070STF105 Floor drain grid LINE series 70 cm





CNLLI100STF105

series 100 cm

Floor drain grid LINE



CNLLI120STF105 Floor drain grid LINE series 120 cm

ARCA CONCEPT S.r.I.

Via del Mella, 19/21 IT - 25131 Brescia T. +39 030 7281057 Email: info@arcaconcept.com www.arcaconcept.com



Product name : Floor drain grid LINE series 90 cm STANDARD threaded version Code : CNLLI090STF105 Weight : 3.4 kg Dimension (LxWxH) : 12 x 15 x 109 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid **LINE** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), STANDARD version h 105 mm smooth (L1), LOWER version h 85 mm threaded (F1), LOWER version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, lenght 90 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and saline environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lt/min, 5 years warranty and

box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centres, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.

Products and accessories available










CNLLI120STF105 Floor drain grid LINE series 120 cm



CNLLI070STF105 Floor drain grid LINE series 70 cm

CNLLI080STF105 Floor drain grid LINE series 80 cm

TF105 CNL grid LINE Floor

CNLLI100STF105 Floor drain grid LINE series 100 cm

ARCA CONCEPT S.r.I.

Via del Mella, 19/21 IT - 25131 Brescia T. +39 030 7281057 Email: info@arcaconcept.com www.arcaconcept.com





Lung. 700 - 800 - 900 - 1000 - 1200 mm ĐI

ARCA CONCEPT S.r.I. Via del Mella, 19/21 IT - 25131 Brescia T. +39 030 7281057

Email: info@arcaconcept.com www.arcaconcept.com

Product name : Floor drain grid LINE series 90 cm LOWER threaded version Code : CNLLI090RBF105 Weight: 3.4 kg Dimension (LxWxH) : 12 x 15 x 109 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid LINE collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (UNI EN 1253-2 and UNI EN 274-1/2) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), STANDARD version h 105 mm smooth (L1), LOWER version h 85 mm threaded (F1), LOWER version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, lenght 90 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and saline environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lt/min, 5 years warranty and

box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centres, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.

Products and accessories available









CNLLI120STF105 Floor drain grid LINE series 120 cm



CNLLI080STF105 Floor drain grid LINE series 80 cm



CNLLI100STF105 Floor drain grid LINE series 100 cm

series 70 cm





Product name : Floor drain grid LINE series 90 cm LOWER smooth version Code : CNLLI090RBL105 Weight : 3.4 kg Dimension (LxWxH) : 12 x 15 x 109 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid **LINE** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), STANDARD version h 105 mm smooth (L1), LOWER version h 85 mm threaded (F1), LOWER version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, lenght 90 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and saline environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lt/min, 5 years warranty and

box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centres, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.

Products and accessories available



CNLLI070STF105

series 70 cm


Floor drain grid LINE







CNLLI120STF105 Floor drain grid LINE series 120 cm



ARCA CONCEPT S.r.I.

Via del Mella, 19/21 IT - 25131 Brescia T. +39 030 7281057 Email: info@arcaconcept.com www.arcaconcept.com CNLLI080STF105 Floor drain grid LINE series 80 cm

CNLLI100STF105 Floor drain grid LINE series 100 cm



Product name : Floor drain grid LINE series 90 cm US without syphon version Code : CNLLI090US0005 Weight : 3.4 kg Dimension (LxWxH) : 12 x 15 x 109 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid **LINE** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), STANDARD version h 105 mm smooth (L1), LOWER version h 85 mm threaded (F1), LOWER version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, lenght 90 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and saline environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lt/min, 5 years warranty and

box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centres, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.

Products and accessories available






and the second s



CNLLI120STF105 Floor drain grid LINE series 120 cm



CNLLI070STF105 Floor drain grid LINE series 70 cm CNLLI080STF105 Floor drain grid LINE series 80 cm

105 CNLLI100STF105 I LINE Floor drain grid LINE series 100 cm

ARCA CONCEPT S.r.I.

Via del Mella, 19/21 IT - 25131 Brescia T. +39 030 7281057 Email: info@arcaconcept.com www.arcaconcept.com





Product name : Floor drain grid LINE series 90 cm US with syphon version Code : CNLLI090US0105 Weight : 3.4 kg Dimension (LxWxH) : 12 x 15 x 109 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid **LINE** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), STANDARD version h 105 mm smooth (L1), LOWER version h 85 mm threaded (F1), LOWER version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, lenght 90 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and saline environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lt/min, 5 years warranty and

box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centres, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.

Products and accessories available



CNLLI070STF105

series 70 cm

Floor drain grid LINE






CNLLI100STF105

series 100 cm

Floor drain grid LINE



CNLLI120STF105 Floor drain grid LINE series 120 cm



ARCA CONCEPT S.r.I.

Via del Mella, 19/21 IT - 25131 Brescia T. +39 030 7281057 Email: info@arcaconcept.com www.arcaconcept.com CNLLI080STF105 Floor drain grid LINE series 80 cm