

Product name: Floor drain grid LINE series 120 cm STANDARD smooth version

Code: CNLLI120STL105

Weight: 4.4 kg

Dimension (LxWxH): 12 x 15 x 125 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid **LINE** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), **STANDARD** version h 105 mm smooth (L1), **LOWER** version h 85 mm threaded (F1), **LOWER** version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, length 120 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and saline environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lt/min, 5 years warranty and box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centers, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.




CNLLI070STF105 CNLLI080STF105
Floor drain grid LINE series 70 cm Series 80 cm

CNLLI080STF105 CNLLI090STF105
Floor drain grid LINE series 80 cm CNLLI090STF105
Floor drain grid LINE series 90 cm

CNLLI100STF105 Floor drain grid LINE series 100 cm







Product name: Floor drain grid LINE series 120 cm STANDARD threaded version

Code: CNLLI120STF105

Weight: 4.4 kg

Dimension (LxWxH): 12 x 15 x 125 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid **LINE** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), **STANDARD** version h 105 mm smooth (L1), **LOWER** version h 85 mm threaded (F1), **LOWER** version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, length 120 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and saline environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lt/min, 5 years warranty and box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centers, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.



CNLLI070STF105
Floor drain grid LINE
series 70 cm


CNLLI080STF105
Floor drain grid LINE
series 80 cm

05 CNLLI090STF105 LINE Floor drain grid LINE series 90 cm

CNLLI100STF105 Floor drain grid LINE series 100 cm







Product name: Floor drain grid LINE series 120 cm LOWER threaded version

Code: CNLLI120RBF105

Weight: 4.4 kg

Dimension (LxWxH): 12 x 15 x 125 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid **LINE** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), **STANDARD** version h 105 mm smooth (L1), **LOWER** version h 85 mm threaded (F1), **LOWER** version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, length 120 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and saline environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lt/min, 5 years warranty and box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centers, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.



CNLLI070STF105 Floor drain grid LINE series 70 cm


CNLLI080STF105 Floor drain grid LINE series 80 cm

CNLLI090STF105 Floor drain grid LINE series 90 cm

CNLLI100STF105 Floor drain grid LINE series 100 cm







Product name: Floor drain grid LINE series 120 cm LOWER smooth version

Code: CNLLI120RBL105

Weight: 4.4 kg

Dimension (LxWxH): 12 x 15 x 125 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid **LINE** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), **STANDARD** version h 105 mm smooth (L1), **LOWER** version h 85 mm threaded (F1), **LOWER** version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, length 120 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and saline environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lt/min, 5 years warranty and box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centers, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.



CNLLI070STF105
Floor drain grid LINE
series 70 cm


CNLLI080STF105
Floor drain grid LINE
series 80 cm

CNLLI090STF105 Floor drain grid LINE series 90 cm

CNLLI100STF105 Floor drain grid LINE series 100 cm







Product name: Floor drain grid LINE series 120 cm US without syphon version

Code: CNLLI120US0005

Weight: 4.4 kg

Dimension (LxWxH): 12 x 15 x 125 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid **LINE** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), **STANDARD** version h 105 mm smooth (L1), **LOWER** version h 85 mm threaded (F1), **LOWER** version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, length 120 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and saline environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lt/min, 5 years warranty and box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centers, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.



CNLLI070STF105 CNLI
Floor drain grid LINE Floor
series 70 cm serie:


CNLLI080STF105 Floor drain grid LINE series 80 cm

CNLLI090STF105 Floor drain grid LINE series 90 cm

CNLLI100STF105 Floor drain grid LINE series 100 cm







Product name: Floor drain grid LINE series 120 cm US with syphon version

Code: CNLLI120US0105

Weight: 4.4 kg

Dimension (LxWxH): 12 x 15 x 125 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid **LINE** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), **STANDARD** version h 105 mm smooth (L1), **LOWER** version h 85 mm threaded (F1), **LOWER** version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, length 120 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and saline environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lt/min, 5 years warranty and box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centers, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.



CNLLI070STF105 Floor drain grid LINE series 70 cm

CNLLI080STF105 Floor drain grid LINE series 80 cm

CNLLI090STF105 Floor drain grid LINE series 90 cm

CNLLI100STF105 Floor drain grid LINE series 100 cm