



Product name : Floor drain grid ESSENTIAL series 70 cm STANDARD threaded version Code : CNLES070STF105 Weight: 2.8 kg Dimension (LxWxH) : 12 x 15 x 89 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid ESSENTIAL collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (UNI EN 1253-2 and UNI EN 274-1/2) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), STANDARD version h 105 mm smooth (L1), LOWER version h 85 mm threaded (F1), LOWER version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, lenght 70 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and ESSENTIAL environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lt/min, 5 years warranty and box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centres, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.

Products and accessories available



CNLES120STF105


ESSENTIAL series 120

Floor drain grid





CNLES080STF105 Floor drain grid ESSENTIAL series 80 cm



CNLES100STF105 Floor drain grid ESSENTIAL series 100 cm

Floor drain grid ESSENTIAL series 90 cm

CNLES090STF105

ARCA CONCEPT S.r.I.

Via del Mella, 19/21 IT - 25131 Brescia T. +39 030 7281057 Email: info@arcaconcept.com www.arcaconcept.com





Product name : Floor drain grid ESSENTIAL series 70 cm STANDARD smooth version Code : CNLES070STL105 Weight: 2.8 kg Dimension (LxWxH) : 12 x 15 x 89 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid ESSENTIAL collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (UNI EN 1253-2 and UNI EN 274-1/2) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), STANDARD version h 105 mm smooth (L1), LOWER version h 85 mm threaded (F1), LOWER version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, lenght 70 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and ESSENTIAL environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lt/min, 5 years warranty and box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centres, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.


Products and accessories available







CNLES080STF105 Floor drain grid ESSENTIAL series 80 cm



CNLES120STF105 Floor drain grid **ESSENTIAL** series 120 CNLES100STF105 Floor drain grid ESSENTIAL series 100 cm

CNLES090STF105 Floor drain grid ESSENTIAL series 90 cm

ARCA CONCEPT S.r.I.

Via del Mella, 19/21 IT - 25131 Brescia T. +39 030 7281057 Email: info@arcaconcept.com www.arcaconcept.com





Product name : Floor drain grid ESSENTIAL series 70 cm LOWER threaded version Code : CNLES070RBF105 Weight : 2.8 kg Dimension (LxWxH) : 12 x 15 x 89 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid **ESSENTIAL** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), STANDARD version h 105 mm smooth (L1), LOWER version h 85 mm threaded (F1), LOWER version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, lenght 70 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and ESSENTIAL environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lt/min, 5 years warranty and box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centres, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.

Products and accessories available



CNLES120STF105

ESSENTIAL series 120


Floor drain grid



2



CNLES080STF105 Floor drain grid ESSENTIAL series 80 cm



cm

CNLES100STF105 Floor drain grid ESSENTIAL series 100 cm

 OSTF105
 CNLES090STF105

 g grid
 Floor drain grid

 AL series 100
 ESSENTIAL series 90 cm

ARCA CONCEPT S.r.I. Via del Mella, 19/21 IT - 25131 Brescia T. +39 030 7281057 Email: info@arcaconcept.com www.arcaconcept.com





Product name : Floor drain grid ESSENTIAL series 70 cm LOWER smooth version Code : CNLES070RBL105 Weight: 2.8 kg Dimension (LxWxH) : 12 x 15 x 89 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid ESSENTIAL collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (UNI EN 1253-2 and UNI EN 274-1/2) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), STANDARD version h 105 mm smooth (L1), LOWER version h 85 mm threaded (F1), LOWER version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, lenght 70 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and ESSENTIAL environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lt/min, 5 years warranty and box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centres, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.

Products and accessories available







CNLES080STF105 Floor drain grid ESSENTIAL series 80 cm

CNLES120STF105 Floor drain grid **ESSENTIAL** series 120

CNLES100STF105 Floor drain grid ESSENTIAL series 100 cm

CNLES090STF105 Floor drain grid ESSENTIAL series 90 cm

Lung. 700 - 800 - 900 - 1000 - 1200 mm Ð

ARCA CONCEPT S.r.I.

Via del Mella, 19/21 IT - 25131 Brescia T. +39 030 7281057 Email: info@arcaconcept.com www.arcaconcept.com





Product name : Floor drain grid ESSENTIAL series 70 cm US without syphon version Code : CNLES070US0005 Weight : 2.8 kg Dimension (LxWxH) : 12 x 15 x 89 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid **ESSENTIAL** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), STANDARD version h 105 mm smooth (L1), LOWER version h 85 mm threaded (F1), LOWER version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, lenght 70 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and ESSENTIAL environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lt/min, 5 years warranty and box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centres, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.

Products and accessories available






3



CNLES080STF105 Floor drain grid ESSENTIAL series 80 cm



ARCA CONCEPT S.r.I.

Via del Mella, 19/21 IT - 25131 Brescia T. +39 030 7281057 Email: info@arcaconcept.com www.arcaconcept.com

CNLES120STF105CNFloor drain gridFloESSENTIAL series 120EScmcm

CNLES100STF105 Floor drain grid ESSENTIAL series 100 -----

CNLES090STF105 Floor drain grid ESSENTIAL series 90 cm





Product name : Floor drain grid ESSENTIAL series 70 cm US with syphon version Code : CNLES070US0105 Weight: 2.8 kg Dimension (LxWxH) : 12 x 15 x 89 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid ESSENTIAL collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (UNI EN 1253-2 and UNI EN 274-1/2) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), STANDARD version h 105 mm smooth (L1), LOWER version h 85 mm threaded (F1), LOWER version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, lenght 70 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and ESSENTIAL environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lt/min, 5 years warranty and box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centres, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.

Products and accessories available





CNLES090STF105

ESSENTIAL series 90 cm

Floor drain grid



CNLES080STF105 Floor drain grid ESSENTIAL series 80 cm

CNLES120STF105 Floor drain grid **ESSENTIAL** series 120

CNLES100STF105 Floor drain grid ESSENTIAL series 100 cm





ARCA CONCEPT S.r.I.

Via del Mella, 19/21 IT - 25131 Brescia T. +39 030 7281057 Email: info@arcaconcept.com www.arcaconcept.com

Lung. 700 - 800 - 900 - 1000 - 1200 mm Ð