

Product name: Floor drain grid PAVING series 90 cm STANDARD smooth version

Code: CNLPA090STL105

Weight: 3.4 kg

Dimension (LxWxH): 12 x 15 x 109 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid **PAVING** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), **STANDARD** version h 105 mm smooth (L1), **LOWER** version h 85 mm threaded (F1), **LOWER** version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, lenght 90 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and saline environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lt/min, 5 years warranty and box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centres, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.



CNLPA070STF105 Floor drain grid PAVING series 70 cm


CNLPA080STF105 Floor drain grid PAVING series 80 cm

CNLPA120STF105 Floor drain grid PAVING series 120 cm

CNLPA100STF105 Floor drain grid PAVING series 100 cm







Product name: Floor drain grid PAVING series 90 cm STANDARD threaded version

Code: CNLPA090STF105

Weight: 3.4 kg

Dimension (LxWxH): 12 x 15 x 109 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid **PAVING** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), **STANDARD** version h 105 mm smooth (L1), **LOWER** version h 85 mm threaded (F1), **LOWER** version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, lenght 90 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and saline environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lt/min, 5 years warranty and box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centres, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.



CNLPA070STF105 CNL Floor drain grid PAVING Floor series 70 cm serie


CNLPA080STF105 Floor drain grid PAVING series 80 cm

CNLPA120STF105 Floor drain grid PAVING series 120 cm

CNLPA100STF105 Floor drain grid PAVING series 100 cm







Product name: Floor drain grid PAVING series 90 cm LOWER threaded version

Code: CNLPA090RBF105

Weight: 3.4 kg

Dimension (LxWxH): 12 x 15 x 109 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid **PAVING** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), **STANDARD** version h 105 mm smooth (L1), **LOWER** version h 85 mm threaded (F1), **LOWER** version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, lenght 90 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and saline environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lt/min, 5 years warranty and box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centres, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.



CNLPA070STF105 Floor drain grid PAVING series 70 cm


CNLPA080STF105 Floor drain grid PAVING series 80 cm

CNLPA120STF105 Floor drain grid PAVING series 120 cm

CNLPA100STF105 Floor drain grid PAVING series 100 cm







Product name: Floor drain grid PAVING series 90 cm LOWER smooth version

Code: CNLPA090RBL105

Weight: 3.4 kg

Dimension (LxWxH): 12 x 15 x 109 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid **PAVING** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), **STANDARD** version h 105 mm smooth (L1), **LOWER** version h 85 mm threaded (F1), **LOWER** version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, lenght 90 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and saline environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lt/min, 5 years warranty and box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centres, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.



CNLPA070STF105 CN Floor drain grid PAVING Flo series 70 cm se


CNLPA080STF105 Floor drain grid PAVING series 80 cm

CNLPA120STF105 Floor drain grid PAVING series 120 cm

CNLPA100STF105 Floor drain grid PAVING series 100 cm







Product name: Floor drain grid PAVING series 90 cm US without syphon version

Code: CNLPA090US0005

Weight: 3.4 kg

Dimension (LxWxH): 12 x 15 x 109 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid **PAVING** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), **STANDARD** version h 105 mm smooth (L1), **LOWER** version h 85 mm threaded (F1), **LOWER** version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, lenght 90 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and saline environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lt/min, 5 years warranty and box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centres, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.



CNLPA070STF105 CNI Floor drain grid PAVING Floor series 70 cm series


CNLPA080STF105 Floor drain grid PAVING series 80 cm

CNLPA120STF105 Floor drain grid PAVING series 120 cm

CNLPA100STF105 Floor drain grid PAVING series 100 cm







Product name: Floor drain grid PAVING series 90 cm US with syphon version

Code: CNLPA090US0105

Weight: 3.4 kg

Dimension (LxWxH): 12 x 15 x 109 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid **PAVING** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), **STANDARD** version h 105 mm smooth (L1), **LOWER** version h 85 mm threaded (F1), **LOWER** version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, lenght 90 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and saline environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lt/min, 5 years warranty and box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centres, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.



CNLPA070STF105 CNLPA080S
Floor drain grid PAVING Floor drain griseries 70 cm series 80 cm

CNLPA080STF105
Floor drain grid PAVING series 80 cm

CNLPA120STF105
Floor drain grid PAVING series 120 cm

CNLPA100STF105 Floor drain grid PAVING series 100 cm