



Product name : Floor drain grid PAVING series 100 cm STANDARD smooth version Code : CNLPA100STL105 Weight : 3.8 kg Dimension (LxWxH) : 12 x 15 x 109 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid **PAVING** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), STANDARD version h 105 mm smooth (L1), LOWER version h 85 mm threaded (F1), LOWER version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, length 100 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and saline environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lt/min, 5 years warranty and box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centers, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.

Products and accessories available








CNLPA090STF105

series 90 cm

Floor drain grid PAVING

CNLPA120STF105 Floor drain grid PAVING series 120 cm



CNLPA070STF105 Floor drain grid PAVING series 70 cm

CNLPA080STF105 Floor drain grid PAVING series 80 cm

ARCA CONCEPT S.r.l. Via del Mella, 19/21

IT - 25131 Brescia T. +39 030 7281057 Email: info@arcaconcept.com www.arcaconcept.com





Product name : Floor drain grid PAVING series 100 cm STANDARD threaded version Code : CNLPA100STF105 Weight : 3.8 kg Dimension (LxWxH) : 12 x 15 x 109 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid **PAVING** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), STANDARD version h 105 mm smooth (L1), LOWER version h 85 mm threaded (F1), LOWER version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, length 100 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and saline environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lt/min, 5 years warranty and box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centers, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.

Products and accessories available








CNLPA090STF105

series 90 cm

Floor drain grid PAVING

CNLPA120STF105 Floor drain grid PAVING series 120 cm



CNLPA070STF105 Floor drain grid PAVING series 70 cm CNLPA080STF105 Floor drain grid PAVING series 80 cm



ARCA CONCEPT S.r.I.





Product name : Floor drain grid PAVING series 100 cm LOWER threaded version Code : CNLPA100RBF105 Weight : 3.8 kg Dimension (LxWxH) : 12 x 15 x 109 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid **PAVING** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), STANDARD version h 105 mm smooth (L1), LOWER version h 85 mm threaded (F1), LOWER version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, length 100 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and saline environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lt/min, 5 years warranty and box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centers, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.

Products and accessories available



CNLPA070STF105

series 70 cm

Floor drain grid PAVING



CNLPA080STF105

series 80 cm


Floor drain grid PAVING



CNLPA090STF105 Floor drain grid PAVING series 90 cm



CNLPA120STF105 Floor drain grid PAVING series 120 cm



ARCA CONCEPT S.r.I.





Product name : Floor drain grid PAVING series 100 cm LOWER smooth version Code : CNLPA100RBL105 Weight : 3.8 kg Dimension (LxWxH) : 12 x 15 x 109 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid **PAVING** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), STANDARD version h 105 mm smooth (L1), LOWER version h 85 mm threaded (F1), LOWER version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, length 100 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and saline environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lt/min, 5 years warranty and box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centers, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.

Products and accessories available



CNLPA070STF105

series 70 cm

Floor drain grid PAVING



CNLPA080STF105

series 80 cm


Floor drain grid PAVING



CNLPA090STF105 Floor drain grid PAVING series 90 cm



CNLPA120STF105 Floor drain grid PAVING series 120 cm



ARCA CONCEPT S.r.I.





Product name : Floor drain grid PAVING series 100 cm US without syphon version Code : CNLPA100US0005 Weight : 3.8 kg Dimension (LxWxH) : 12 x 15 x 109 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid **PAVING** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), STANDARD version h 105 mm smooth (L1), LOWER version h 85 mm threaded (F1), LOWER version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, length 100 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and saline environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lt/min, 5 years warranty and box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centers, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.

Products and accessories available








CNLPA090STF105

series 90 cm

Floor drain grid PAVING

CNLPA120STF105 Floor drain grid PAVING series 120 cm



CNLPA070STF105 Floor drain grid PAVING series 70 cm

CNLPA080STF105 Floor drain grid PAVING series 80 cm

ARCA CONCEPT S.r.I.





Product name : Floor drain grid PAVING series 100 cm US with syphon version Code : CNLPA100US0105 Weight : 3.8 kg Dimension (LxWxH) : 12 x 15 x 109 cm

DESCRIPTION

Stainless steel AISI 304 floor drain grid **PAVING** collection with modern design matching modern and minimalistic ambiences. This floor drain is the only one in the market to have a footprint of only 85 mm (also available as standard of 105 mm) also this floor drain is certified to European Standards (**UNI EN 1253-2 and UNI EN 274-1/2**) and have a number of features making them unique on the market. The design makes these drain grids suitable to elegant, modern and minimalist environments where detail, aesthetics and functionality are absolutely required.

Available versions: STANDARD version H 105 mm threaded (F1), STANDARD version h 105 mm smooth (L1), LOWER version h 85 mm threaded (F1), LOWER version h 85 mm smooth (L1)

FEATURES: MADE IN ITALY, stainless steel AISI 304 floor drain grids, length 100 cm, total hygiene, not affected by the use of aggressive cleaning products, overall height at floor level 85 or 105 mm, inner slope directing water to the drain, avoiding stagnant smelly, modularity assembly sequence covering any measure, galvanic patented treatment, exceptional resistance to acidic and saline environments, tests carried out: 2.000 hours in salt spray, preassembled siphon, with patented locking watertight system, possibility of 360° orientation and complete inspection, exhaust flow 30 lt/min, 5 years warranty and box single packed.

APPLICATIONS: Bathrooms in public places (bars, shopping malls, hospitals, nursing homes, stations, barracks, prisons, etc.), showers in private bathrooms and hotels, showers in sports halls and dressing rooms, wellness centers, spas, bathing, camping, saunas and steam baths, indoor and outdoor pools, industrial kitchens, terraces and balconies, garages, driveways to private homes, food and drink industries, pharmaceutical environments, chemical environments, wine cellars.

Products and accessories available



CNLPA070STF105

series 70 cm

Floor drain grid PAVING



CNLPA080STF105

series 80 cm


Floor drain grid PAVING



CNLPA090STF105 Floor drain grid PAVING series 90 cm



CNLPA120STF105 Floor drain grid PAVING series 120 cm



ARCA CONCEPT S.r.I.